



TS1A

High Quality Heavy Duty.
Flatbed Trolley.
Australian Made.

Size	Handle Height	Load Capacity	Wheel Diameter
600 x 900mm	910mm	340kg	100mm



**SW078
Heavy Duty
Platform Trolley**

Large Deck with Removable Handle.

Also Available in Double Handle.

Powder Coated Finish.

960mm Handle Height.

Deck Size	Load Capacity	Castors
1372 x 685mm	560kg	125 x 35mm Blue Rubber

Big Heavy Duty 520kg Trolley



TS1AXL

Very mobile with
6 Heavy Duty Castors.
Australian Made.

Size	Handle Height	Load Capacity	Wheel Diameter
700 x 1200mm	1050mm	520kg	150mm



TS2A

Non-Slip
Industrial Mats.
Australian Made.

Size	Handle Height	Load Capacity	Wheel Diameter
600 x 900mm	940mm	340kg	100mm



TS3A

High Quality.
Australian Made.

Size	Handle Height	Load Capacity	Wheel Diameter
600 x 900mm	940mm	340kg	100mm



TS2B

Half Basket Trolley.

High Quality Australian Made.

Size	Handle Height	Load Capacity	Wheel Diameter
600 x 900mm	910mm	340kg	100mm



TS4B

Great for Picking Orders.

Australian Made.

Two types of crates available

- Sold separately

IH048 - 16L 457 x 318 x 168mm

IH042 - 27L 457 x 318 x 260mm

Size	Handle Height	Load Capacity	Wheel Diameter
650 x 990mm	910mm	340kg	100mm



TS1F

Full Mesh Trolley
with Fold Down Gate.
Australian Made.

Size	Handle Height	Load Capacity	Wheel Diameter
600 x 900mm	910mm	340kg	100mm



TSOFT

Great for Picking Orders,
Mailing & Files.

Australian Made.

Size	Handle Height	Load Capacity	Wheel Diameter
380 X 650mm	930mm	220kg	100mm

TS1B

Options:

Clipboard.

Utility Bin.

Suits Nally Crate IH060, IH051
& IH078 (Sold Separately)

- See Page 88 for details.



TS1B with Heavy Duty
Clipboard/Handle version.



Model	Size	Handle Height	Load Capacity	Wheel Diameter
TS1B	420 x 900mm	1010mm	220kg	100mm



TSMY

Suits Nally Crate IH060,
IH051
& IH078 (Sold Separately)
- See Page 88 for details.

Size	Handle Height	Load Capacity	Wheel Diameter
420 x 900mm	930mm	220kg	100mm



D012
Large Dining Trolley

Deck Size	Load Capacity	Dimensions
1030 x 510mm	120kg	1030 x 510 x 960mm



TPR500

Suitable to carry Timber,
Plaster, Doors etc.

Deck Size	Load Capacity	Castors
1200 x 580 x 1180mm	500kg	150mm



4ZJ28
Heavy Duty
Panel Cart

Sturdy Solid Base.

Removable Vertical Supports.

Deck Size	Load Capacity	Castors
915 x 750mm	1000kg	125 x 50mm Polyurethane

Constructed from 1.6mm galvanised steel sheet for strength and durability, the flat deck and clean lines makes it look good and allows small items to be carried loose on the trolley.

Fitted with 200mm fixed centre wheels and 125mm swivel castors to each corner (with this design there is a slight rock from end to end built into the

TS075 Single Deck 6 Wheel Trolley

Galvanised Finish.

Rust Proof.

Ideal for use in Coolrooms
& Refrigerated Areas.

Supermarkets - Greengrocers.



Model	Deck Type	Load Capacity	Dimensions
TS075	Single	220kg	1140 x 565 x 950mm

trolley to ensure that the centre wheels are always in contact with the ground). This provides a low push effort and good carrying capacity due to the large centre wheels as well as excellent manoeuvrability because of the swivel castors.

TS070/TS080 Twin Deck 6 Wheel Trolley

Galvanised Finish.

Rust Proof.

Ideal for use in Coolrooms
& Refrigerated Areas.

Supermarkets - Greengrocers.



Model	Deck Type	Load Capacity	Dimensions
TS070	Double	220kg	990 x 460 x 950mm
TS080	Double	220kg	1140 x 565 x 950mm



**TS100/TS101/TS102
Single Deck Wire Trolley**

Zinc Finish & Rust Proof.

Model	Deck Type	Load Capacity	Dimensions
TS100	Single	400kg	1000 x 400 x 950mm
TS101	Single	400kg	1200 x 500 x 950mm
TS102	Single	400kg	1200 x 600 x 950mm

**TS101/TS102
Optional Accessories**

Zinc Finish & Rust Proof.



Single Deck Trolley with Optional Handle & Shelf attached.



TS101/TS102 Handle



TS101/TS102 Shelf

Model	Deck Type	Dimensions
TS101 Shelf	Double	1200 x 500 x 950mm
TS102 Shelf	Double	1200 x 600 x 950mm
TS101 Handle	Double	1200 x 500 x 950mm
TS102 Handle	Double	1200 x 600 x 950mm

SUP150-E/R



300-DX

730mm (L) x 490mm (W)
Load Capacity 150kg

SUP300-E/R

900mm (L) x 600mm (W)
Load Capacity 300kg