

TSHT1A

1.6mm Tubular Frame.

4mm Base Plate.

Solid Axles.

High Quality Wheels.



Toe Plate	Handle Height	Load Capacity	Wheel Diameter
430 x 250mm	1170mm	180kg	203mm

TSHT3A

1.6mm Tubular Frame.

4mm Base Plate.

Solid Axles.

High Quality Wheels.

OPTIONAL SEMI-PNEUMATIC
PUNCTURE - PROOF WHEELS AVAILABLE



Toe Plate	Handle Height	Load Capacity	Wheel Diameter
430 x 250mm	1255mm	180kg	250mm Pneumatic

TSHT4A **4' Appliance Trolley**

Stairclimber Assembly.

1 Year Frame Warranty.



Toe Plate	Handle Height	Load Capacity	Wheel Diameter
455 x 185mm	1235mm	220kg	150mm

TSHT4P

4' Appliance Trolley

Pneumatic Wheels.

1 Year Frame Warranty.


OPTIONAL SEMI-PNEUMATIC
PUNCTURE - PROOF WHEELS AVAILABLE



Toe Plate	Handle Height	Load Capacity	Wheel Diameter
455 x 185mm	1235mm	220kg	250mm Pneumatic

TSHT5A **5' Appliance Trolley**

Stairclimber Assembly.
1 Year Frame Warranty.



Toe Plate	Handle Height	Load Capacity	Wheel Diameter
455 x 185mm	1540mm	220kg	150mm

TSHT5P **5' Appliance Trolley**

Pneumatic Wheels.

1 Year Frame Warranty.

OPTIONAL SEMI-PNEUMATIC
PUNCTURE - PROOF WHEELS AVAILABLE



Toe Plate	Handle Height	Load Capacity	Wheel Diameter
455 x 185mm	1540mm	220kg	250mm Pneumatic

TSHTMP

Suits 200 Litre (44 Gallon) Drums.

OPTIONAL SEMI-PNEUMATIC
PUNCTURE - PROOF WHEELS AVAILABLE



Toe Plate	Handle Height	Load Capacity	Wheel Diameter
455 x 195mm	1235mm	220kg	250mm Pneumatic

**TSCST
CHAIR 'STACKER'
Trolley**

Solid Steel Construction.

Ergonomic & Stable.

Safe Handling of Stacker Chairs.

Fits most Chair Types.



Model	Load Capacity	Dimensions
TSCST	100kg	330 x 450mm (1st Level)



TSUPFT2 **Upright File Trolley**

Chrome Plated Upright File Trolley
with 2 Fold Up Shelves.

Optional Rain Cover Available.
2 or 3 Tier Shelf.

Model	Load Capacity	Dimensions
TSUPFT2	120kg	500 x 465 x 150mm

11-1003-B Safety Strap

Suitable attachment to
TeamStar Appliance Trolleys.

